SUBJECT INDEX

Alkali metals
LiNaSe, the first inter alkali metal selenide: synthesis and structure, 43
Aluminium
phase investigations of the Al–Ir system, 213
solid solution in the $LiAlO_2$–$LiCrO_2$ ternary oxide system, 291
Americium
crystal field analysis of $LaCl_3:Am^{3+}$ and $AmCl_3$ and its relationship to the spectra of frozen solutions of Am^{3+}(aquo), 221
Ammonia
investigation of europium–ammonia intercalation compounds of titanium disulfide, 413
Arsenic
structural and optical properties of hydrated lanthanon uranyl arsenates, 439

Barium
$Ba_3Cu_3(InO_3)_4$: a novel quarternary perovskite derivative, 181
domain structures and plasticity of ferroelastic materials: case of rare earth sesquioxides and $YBa_2Cu_3O_7$, 29
neue Verbindungen vom Typ $M_3Ln_{10}O_{18}$: $BaCa_2Tm_{10}O_{18}$ und $BaCa_2Tm_5Sc_5O_{18}$. Ein Beitrag zur Besetzung der Tunnelstrukturen, 173
synthesis and structure of $Ba_2Zr_6Cl_{17}B$, the missing link in cluster stoichiometries and structures, 49
Beryllium
pressure–volume relationships for CeSe and $CeBe_{13}$ up to 25 GPa, 137
Bismuth
Bi_4O_7, das erste definierte binare Bismut (III, V)-Oxid, 123
Boron
synthesis and structure of $Ba_2Zr_6Cl_{17}B$, the missing link in cluster stoichiometries and structures, 49

Calcium
neue Verbindungen vom Typ $M_3Ln_{10}O_{18}$: $BaCa_2Tm_{10}O_{18}$ und $BaCa_2Tm_5Sc_5O_{18}$. Ein Beitrag zur Besetzung der Tunnelstrukturen, 173
Carbon
crucial role of halogen atoms in the formation of Ta_2S_2C, 207
Carbon pairs
pairs as structural elements of ternary carbides of the F elements with the late transition metals, 397
Cerium
fluorite-related "solid solutions" of CeO_2-Y_2O_3 I: a re-examination by electron microscopy and diffraction, 1
fluorite-related "solid solutions" of CeO_2-Y_2O_3 II: a modulated structure approach, 17
preparation, crystalline properties and X-ray absorption spectra of rare earth oxides RO_x ($R \equiv Ce$, Pr and Tb; $1.5 \leqslant x \leqslant 2$), 59
pressure–volume relationships for CeSe and $CeBe_{13}$ up to 25 GPa, 137
Charge distribution
new route to charge distributions in ionic solids, 105
Chlorine
crystal field analysis of $LaCl_3:Am^{3+}$ and $AmCl_3$ and its relationship to the spectra of frozen solutions of Am^{3+}(aquo), 221
synthesis and structure of $Ba_2Zr_6Cl_{17}B$, the missing link in cluster stoichiometries and structures, 49
Chromium
antiferromagnetic-to-ferromagnetic transition in metallic $Tl_{1-x}K_xCo_2Se_2$ ($0 \leqslant x \leqslant 1.0$) with $ThCr_2Si_2$-type structure, 247
solid solution in the $LiAlO_2$–$LiCrO_2$ ternary oxide system, 291
Clusters
cluster synthesis by photolysis of R_3PAuN_3 IV. Synthesis and structure of $[(Ph_3PAu)_4Mn(CO)_4]PF_6$, 387
synthesis and structure of $Ba_2Zr_6Cl_{17}B$, the missing link in cluster stoichiometries and structures, 49

© Elsevier Sequoia/Printed in The Netherlands

synthesis, structure and properties of $Mn_{1.5}Mo_8O_{11}$, a unique structure type among compounds having infinite chains of *trans*-edge-shared octahedral cluster units, 325
Cobalt
antiferromagnetic-to-ferromagnetic transition in metallic $Tl_{1-x}K_xCo_2Se_2$ ($0 \leqslant x \leqslant 1.0$) with $ThCr_2Si_2$-type structure, 247
cation and O disorder in the structures $TlSr_2CuO_5$ and $(Pb_{0.63}Cu_{0.37})Sr_2CoO_5$, 347
Copper
$Ba_3Cu_3(InO_3)_4$: a novel quarternary perovskite derivative, 181
cation and O disorder in the structures $TlSr_2CuO_5$ and $(Pb_{0.63}Cu_{0.37})Sr_2CoO_5$, 347
domain structures and plasticity of ferroelastic materials: case of rare earth sesquioxides and $YBa_2Cu_3O_7$, 29
preparation and characterization of Cu(II) oxide, 341
Crystal field analysis
crystal field analysis of $LaCl_3:Am^{3+}$ and $AmCl_3$ and its relationship to the spectra of frozen solutions of Am^{3+}(aquo), 221
Curium
powder neutron diffraction and magnetic susceptibility of $^{248}CmO_2$, 273

Disorder
cation and O disorder in the structures $TlSr_2CuO_5$ and $(Pb_{0.63}Cu_{0.37})Sr_2CoO_5$, 347
Domain structures
domain structures and plasticity of ferroelastic materials: case of rare earth sesquioxides and $YBa_2Cu_3O_7$, 29

Electron diffraction
fluorite-related "solid solutions" of CeO_2–Y_2O_3 I: a re-examination by electron microscopy and diffraction, 1
Electron microscopy
fluorite-related "solid solutions" of CeO_2–Y_2O_3 I: a re-examination by electron microscopy and diffraction, 1
Erbium
H(D)-stabilized and Li-intercalated erbium monochloride: an X-ray single-crystal and neutron powder diffraction study, 161
Europium
investigation of europium–ammonia intercalation compounds of titanium disulfide, 413

F elements
C pairs as structural elements of ternary carbides of the F elements with the late transition metals, 397
Fluorine
cluster synthesis by photolysis of R_3PAuN_3 IV. Synthesis and structure of $[(Ph_3PAu)_4Mn(CO)_4]PF_6$, 387
thermal decomposition of Li-inserted NbO_2F, 145
Fluorite
fluorite-related "solid solutions" of CeO_2–Y_2O_3 I: a re-examination by electron microscopy and diffraction, 1
fluorite-related "solid solutions" of CeO_2–Y_2O_3 II: a modulated structure approach, 17

Gadolinium
synthesis and structure of Gd_4I_5Si and Ge_3I_3Si: the first examples of reduced rare earth halides containing second-row non-metal interstitial atoms, 193
Gallium
incongruent effusion of $ZnGa_8S_{13}$(s), 369
Gold
cluster synthesis by photolysis of R_3PAuN_3 IV. Synthesis and structure of $[(Ph_3PAu)_4Mn(CO)_4]PF_6$, 387

Hydrogen
H(D)-stabilized and Li-intercalated erbium monochloride: an X-ray single-crystal and neutron powder diffraction study, 161

Indium
$Ba_3Cu_3(InO_3)_4$: a novel quarternary perovskite derivative, 181
Infinite chains
synthesis, structure and properties of

$Mn_{1.5}Mo_8O_{11}$, a unique structure type among compounds having infinite chains of *trans*-edge-shared octahedral cluster units, 325
Intercalation
H(D)-stabilized and Li-intercalated erbium monochloride: an X-ray single-crystal and neutron powder diffraction study, 161
investigation of europium–ammonia intercalation compounds of titanium disulfide, 413
Interstitial atoms
synthesis and structure of Gd_4I_5Si and Gd_3I_3Si: the first examples of reduced rare earth halides containing second-row non-metal interstitial atoms, 193
Iodine
synthesis and structure of Gd_4I_5Si and Gd_3I_3Si: the first examples of reduced rare earth halides containing second-row non-metal interstitial atoms, 193
structure of a metastable form of SrI_2 by the X-ray Rietveld procedure, 237
Ionic solids
new route to charge distributions in ionic solids, 105
Iridium
phase investigations of the Al–Ir system, 213

Lanthanum
X-ray investigation of the phase relationships in the system LaH_2–LaH_3, 259
crystal field analysis of $LaCl_3:Am^{3+}$ and $AmCl_3$ and its relationship to the spectra of frozen solutions of Am^{3+}(aquo), 221
Lead
cation and O disorder in the structures $TlSr_2CuO_5$ and $(Pb_{0.63}Cu_{0.37})Sr_2CoO_5$, 347
Lithium
das erste Oxopraseodymat mit Oktaeder-Tripel: $Rb_2Li_{14}[Pr_3O_{14}]$, 97
H(D)-stabilized and Li-intercalated erbium monochloride: an X-ray single-crystal and neutron powder diffraction study, 161
LiNaSe, the first inter alkali metal selenide: synthesis and structure, 43
solid solution in the $LiAlO_2$–$LiCrO_2$ ternary oxide system, 291
thermal decomposition of Li-inserted NbO_2F, 145

Magnetic susceptibility
powder neutron diffraction and magnetic susceptibility of $^{248}CmO_2$, 273
Magnetite
relation of the Verwey transition in magnetite to an order–disorder transition of strongly correlated electrons, 423
Manganese
cluster synthesis by photolysis of R_3PAuN_3 IV. Synthesis and structure of $[(Ph_3PAu)_4Mn(CO)_4]PF_6$, 387
mass flux, crystal composition and solid solubility studies of the $Hg_{1-x}Mn_xTe$–HgI_2 vapor transport system, 299
$NiMn_2O_4$ revisited, 357
synthesis, structure and properties of $Mn_{1.5}Mo_8O_{11}$, a unique structure type among compounds having infinite chains of *trans*-edge-shared octahedral cluster units, 325
Mass flux
mass flux, crystal composition and solid solubility studies of the $Hg_{1-x}Mn_xTe$–HgI_2 vapor transport system, 299
Mercury
mass flux, crystal composition and solid solubility studies of the $Hg_{1-x}Mn_xTe$–HgI_2 vapor transport system, 299
Molybdenum
synthesis, structure and properties of $Mn_{1.5}Mo_8O_{11}$, a unique structure type among compounds having infinite chains of *trans*-edge-shared octahedral cluster units, 325

Nickel
anomalous behavior of the electrical resistivity in alloys near the $PrNi_{5.0}$ composition, 87
$NiMn_2O_4$ revisited, 357
Niobium
thermal decomposition of Li-inserted NbO_2F, 145

Optical properties
structural and optical properties of hydrated lanthanon uranyl arsenates, 439
Order-disorder transition
relation of the Verwey transition in magnetite to an order–disorder transition of strongly correlated electrons, 423

Perovskites
$Ba_3Cu_3(InO_3)_4$: a novel quarternary perovskite derivative, 181
Phosphorus
cluster synthesis by photolysis of R_3PAuN_3 IV. Synthesis and structure of $[(Ph_3PAu)_4Mn(CO)_4]PF_6$, 387
Photolysis
cluster synthesis by photolysis of R_3PAuN_3 IV. Synthesis and structure of $[(Ph_3PAu)_4Mn(CO)_4]PF_6$, 387
Plasticity
domain structures and plasticity of ferroelastic materials: case of rare earth sesquioxides and $YBa_2Cu_3O_7$, 29
Potassium
antiferromagnetic-to-ferromagnetic transition in metallic $Tl_{1-x}K_xCo_2Se_2$ ($0 \leqslant x \leqslant 1.0$) with $ThCr_2Si_2$-type structure, 247
Powder diffraction
H(D)-stabilized and Li-intercalated erbium monochloride: an X-ray single-crystal and neutron powder diffraction study, 161
powder neutron diffraction and magnetic susceptibility of $^{248}CmO_2$, 273
Praseodymium
anomalous behavior of the electrical resistivity in alloys near the $PrNi_{5.0}$ composition, 87
das erste Oxopradeodymat mit Oktaeder-Tripel: $Rb_2Li_{14}[Pr_3O_{14}]$, 97
preparation, crystalline properties and X-ray absorption spectra of rare earth oxides RO_x ($R \equiv Ce$, Pr and Tb; $1.5 \leqslant x \leqslant 2$), 59

Rare earths
domain structures and plasticity of ferroelastic materials: case of rare earth sesquioxides and $YBa_2Cu_3O_7$, 29
preparation, crystalline properties and X-ray absorption spectra of rare earth oxides RO_x ($R \equiv Cr$, Pr and Tb; $1.5 \leqslant x \leqslant 2$), 59
synthesis and structure of Gd_4I_5Si and Gd_3I_3Si: the first examples of reduced rare earth halides containing second-row non-metal interstitial atoms, 193
Resistivity
anomalous behavior of the electrical resistivity in alloys near the $PrNi_{5.0}$ composition, 87
Rubidium
das erste Oxopraseodymat mit Oktaeder-Tripel: $Rb_2Li_{14}[Pr_3O_{14}]$, 97

Scandium
neue Verbindungen vom Typ $M_3Ln_{10}O_{18}$: $BaCa_2Tm_{10}O_{18}$ und $BaCa_2Tm_5Sc_5O_{18}$. Ein Beitrag zur Besetzung der Tunnelstrukturen, 173
Selenides
LiNaSe, the first inter alkali metal selenide: synthesis and structure, 43
Selenium
LiNaSe, the first inter alkali metal selenide: synthesis and structure, 43
pressure–volume relationships for CeSe and $CeBe_{13}$ up to 25 GPa, 137
Silenium
antiferromagnetic-to-ferromagnetic transition in metallic $Tl_{1-x}K_xCo_2Se_2$ (0×1.0) with $ThCr_2Si_2$-type structure, 247
Silicon
synthesis and structure of Gd_4I_5Si and Gd_3I_3Si: the first examples of reduced rare earth halides containing second-row non-metal interstitial atoms, 193
Sodium
LiNaSe, the first inter alkali metal selenide: synthesis and structure, 43
Solid solution
mass flux, crystal composition and solid solubility studies of the $Hg_{1-x}Mn_xTe$–HgI_2 vapor transport system, 299
Solid solutions
fluorite-related "solid solutions" of CeO_2–Y_2O_3 I: a re-examination by electron microscopy and diffraction, 1

fluorite-related "solid solutions" of CeO_2–Y_2O_3 II: a modulated structure approach, 17
solid solution in the $LiAlO_2$–$LiCrO_2$ ternary oxide system, 291
Strontium
cation and O disorder in the structures $TlSr_2CuO_5$ and $(Pb_{0.63}Cu_{0.37})Sr_2CoO_5$, 347
structure of a metastable form of SrI_2 by the X-ray Rietveld procedure, 237
Sulphur
crucial role of halogen atoms in the formation of Ta_2S_2C, 207
incongruent effusion of $ZnGa_8S_{13}$(s), 369

Tantalum
crucial role of halogen atoms in the formation of Ta_2S_2C, 207
Darstellung und Struktur von $Th_2Ta_2O_9$, 75
Tellurium
mass flux, crystal composition and solid solubility studies of the $Hg_{1-x}Mn_xTe$–HgI_2 vapor transport system, 299
Terbium
preparation, crystalline properties and X-ray absorption spectra of rare earth oxides RO_x ($R \equiv Cr$, Pr and Tb; $1.5 \leqslant x \leqslant 2$), 59
Ternary carbides
C pairs as structural elements of ternary carbides of the F elements with the late transition metals, 397
Thallium
antiferromagnetic-to-ferromagnetic transition in metallic $Tl_{1-x}K_xCo_2Se_2$ ($0 \leqslant x \leqslant 1.0$) with $ThCr_2Si_2$-type structure, 247
cation and O disorder in the structures $TlSr_2CuO_5$ and $(Pb_{0.63}Cu_{0.37})Sr_2CoO_5$, 347
Thermal decomposition
thermal decomposition of Li-inserted NbO_2F, 145
Thorium
antiferromagnetic-to-ferromagnetic transition in metallic $Tl_{1-x}K_xCo_2Se_2$ ($0 \leqslant x \leqslant 0.1$) with $ThCr_2Sr_2$-type structure, 247
Darstellung und Struktur von $Th_2Ta_2O_9$, 75
Thulium
neue Verbindungen vom Typ $M_3Ln_{10}O_{18}$: $BaCa_2Tm_{10}O_{18}$ und $BaCa_2Tm_5Sc_5O_{18}$. Ein Beitrag zur Besetzung der Tunnelstrukturen, 173
Titanium
investigation of europium–ammonia intercalation compounds of titanium disulfide, 413

Uranium
structural and optical properties of hydrated lanthanon uranyl arsenates, 439

Vapour transport
mass flux, crystal composition and solid solubility studies of the $Hg_{1-x}Mn_xTe$–HgI_2 vapor transport system, 299
Verwey transition
relation of the Verwey transition in magnetite to an order–disorder transition of strongly correlated electrons, 423

X-ray absorption
preparation, crystalline properties and X-ray absorption spectra of rare earth oxides RO_x ($R \equiv Cr$, Pr and Tb; $1.5 \leqslant x \leqslant 2$), 59
X-ray diffraction
H(D)-stabilized and lithium-intercalated erbium monochloride: an X-ray single-crystal and neutron powder diffraction study, 161
X-ray measurements
X-ray investigation of the phase relationships in the system LaH_2–LaH_3, 259
X-ray Rietveld procedure
structure of a metastable form of SrI_2 by the X-ray Rietveld procedure, 237

Yttrium
domain structures and plasticity of ferroelastic materials: case of rare earth sesquioxides and $YBa_2Cu_3O_7$, 29

fluorite-related "solid solutions" of CeO_2–Y_2O_3 I: a re-examination by electron microscopy and diffraction, 1

fluorite-related "solid solutions" of CeO_2–Y_2O_3 II: a modulated structure approach, 17

Zinc

incongruent effusion of $ZnGa_8S_{13}$(s), 369

Zirconium

synthesis and structure of $Ba_2Zr_6Cl_{17}B$, the missing link in cluster stoichiometries and structures, 49